

SUPPLEMENT TO

The Gazette



सत्यमेव जयते

of India

No. 47] NEW DELHI, SATURDAY, DECEMBER 13, 1958/AGRAHAYANA 22, 1880

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 15th November, 1958—*contd.*

CHOLERA								SMALLPOX								PLAGUE							
C.		D.		C.		D.		C.		D.		C.		D.		C.		D.		C.		D.	
Andhra Pradesh																							
Srikakulam	.	.	2	1	1
Visakhapatam	.	.	2	3
East Godawari	.	.	18	13	13	2
West Godawari	.	.	5	2
Krishna	.	.	1	..	1
Guntur	.	.	21	9	14	2
Nellore	.	.	7	7	2	3
Kurnool	.	.	6	4
Cuddapah	.	.	8	5	1	1
Anantapur	6	1
Chittoor	2	3
Mahbubnagar	.	.	1
TOTAL	.	.	71	44	40	12
Total for w/e 8-II-58			140	63	41	7
Total for w/e 1-II-58			225	117	42	12
Assam																							
Goalpara	.	.	7	3
Kamrup	.	.	20	5
TOTAL	.	.	27	8
Total for w/e 8-II-58			9	3
Total for w/e 1-II-58			4	1
Bihar																							
"N. R."																							
Bombay																							
"N. R."																							
Delh																							
"N. R."																							
Himachal Pradesh																							
"N. R."																							
Kerala																							
Trivandrum
Quilon	3
Kottayam	2
Trichur	21	13
Malabar	1
TOTAL	26	15
Total for w/e 8-II-58			21	6
Total for w/e 1-II-58			30	10
Madhya Pradesh																							
"N. R."																							
Madras																							
Madras City	.	.	18	1	38	13
Chingleput	3	2
South Arcot	13	4
Tiruchirappalli	10	3
Tanjore	23	5
Madurai	3
Ramanatha-puram	2	1
North Arcot	12	8
Salem	29	9
Coimbatore	6	3
Kanya Kumari	28	4
TOTAL	.	.	18	1	167	52
Total for w/e 8-II-58			2	..	149	36
Total for w/e 1-II-58			154	46
Manipur																							
TOTAL
Total for w/e 8-II-58		
Total for w/e 1-II-58		
Mysore																							
"N. R."																							

Explanation of Symbols used : —C.—Cases; D.—Deaths; ..—Nil. "N.R."—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 15th November, 1958—concl'd

	Cholera		Small pox		Plague	
	C.	D.	C.	D.	C.	D.
Mysore w/e 8-11-58						
Chitradurga	15	6
Chikmagalur	5	1
Kolar	1
Mysore	9	2
Shimoga	4	1
Bellary	12	7
Bijapur	6	4	5	1
TOTAL	37	18	20	4

Punjab

w/e 8-11-58

Gurdaspur	1
TOTAL	1

Himachal Pradesh

w/e 20-9-58

Mandi	2	1
TOTAL	2	1

	Cholera		Small pox		Plague	
	C.	D.	C.	D.	C.	D.
Himachal Pradesh—Contd w/e 4-10-58						
TOTAL

Rajasthan

w/e 1-11-58

Barmer	7	4
Gaiganagar	1
Kot h	9	4
TOTAL	16	9

Supplementary figures for w e 25-10-58

Churu
-------	----	----	----	----	----	----

REMARKS

Epidemic conditions of Cholera, or Smallpox were not reported from any part of the country.

Explanation of Symbols used:—C=Cases; D.=Deaths; ..=Nil.

NEW DELHI-2 (INDIA);
The 8th December 1958

H. R. SHARMA,
for Registrar General India.

Prosper with the **NATION**

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S *Small Savings Scheme*

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL PLAN SAVINGS CERTIFICATES		Interest at 5.41 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES		4 per cent interest paid annually. Available in multiples of Rs. 50/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.
POST OFFICE SAVINGS BANK ACCOUNTS		2½ per cent interest added on deposits upto Rs. 10,000/- and 2 per cent on balance upto Rs. 15,000/-.
15-YEAR ANNUITY CERTIFICATES		
Issue Prices : Rs. 3,325/-, Rs. 6 650/-, Rs. 13,300/-, & Rs. 26,600/-		Refunded together with compound interest at 4.25 per cent per annum in the form of monthly payments spread over a period of fifteen years.
YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX		
For further particulars and/or rules governing these investments please write to the National Savings Commissioner, Nagpur or to the Regional National Savings Officer of your State.		INVEST IN INDIA'S FUTURE

DA - 58/231

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 15th November, 1958—*contd.*

Deaths from:—

Town	Mld-year Popn-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Andhr Pradesh													
"N.R."													
Assam													
"N.R."													
Biher													
Arrah	74	6	4.2	3	4	2.8	..
Bettiah	40	5	7.8	2	..	1	..	4	5.2	..
Bhagalpur	133	25	9.8	5	15	5.9	..
Bihar	70	25	18.6	2	7	5.2	..
Chaprat	98	19	10.1	4	13	6.9	..
Darbhanga	48	12	13.0	1	5	5.4	..
Dhanbad	45	2	2.3	2	2.3	..
Dinapur	159	55	18.0	17	5	9	..	51	16.7	..
Gaya	42	11	13.6	6	7.4	1
Hazaribagh	266	163	31.9	2	..	4	..	12	2.3	..
Jamshampur	60	8	6.9
Katihar	84	6	3.7	1	1	1	..	5	3.1	..
Monghyr	92	42	23.7	5	1	1	..	35	19.8	..
Muzaffarpur	371	68	9.5	1	1	1	..	24	3.4	..
Patna	371	68	9.5	1	1	1	..	24	3.4	..
Ranchit	371	68	9.5	1	1	1	..	24	3.4	..
TOTAL	1,582	448	14.7	43	8	17	..	183	60.1	1
Bombay													
"N.R."													
Delhi													
Delhi City	1,216	630	26.9	33	9	28	1	131	5.6	28
New Delhi	417	216	26.1	16	2.0	4
N. A. C. Civil.	130	111	44.4	..	1	..	1	1	5	..	15	6.0	6
Station Delhi	54	50	48.1	2	1.9	..
Delhi Cantt	58	54	48.4	3	..	2	..	7	6.3	1
Delhi Shahdara	58	54	48.4	3	..	2	..	7	6.3	1
TOTAL	1,875	1,061	29.4	..	1	..	37	10	35	1	171	4.7	39
Kerala													
"N.R."													
Madhya Pradesh													
"N.R."													
Madras													
Ambur	48	25	27.1	2	1	8	8.7	1
Arrupukottai†	43	22	26.6	4	7	8.5	2
Bodinayakunur	43	30	36.3	2	7	8.5	3
Chidambaram	267	236	46.0	..	1	..	2	17	11	1	86	16.8	18
Coimbatore	76	49	33.5	3	1	1	1	23	15.7	3
Cuddalore	100	25	13.0	2	1	1	..	14	7.3	2
Dindigul	77	60	40.5	3	2	19	12.8	2
Erode	48	11	11.9	1	1.1	..
Gobichetipalayam	58	25	22.4	1	1	..	10	9.3	5
Gudiyattam	93	75	41.9	5	5	1	27	13.1	4
Kancheepuram	47	43	47.6	2	9	14.4	2
Karaikudi	57	25	22.8	1	7	6.4	2
Karur	115	107	48.4	2	3	4	..	44	19.9	7
Kumbakonam	2,011	1,410	36.5	1	14	..	84	113	206	1	706	18.3	217
Madras City	488	297	31.6	7	7	25	..	131	14.0	32
Madurai	53	45	44.2	1	13	12.8	7
Mayuram	43	2	2.4	1	5	6.0	1
Maliapalayam	62	61	51.2	3	4	3	..	25	21.0	7
Nagapattinam	109	58	27.7	1	10	4.8	..
Nagercoil	53	31	30.4	10	..	16	15.7	7
Ootacamund	48	78	84.5	1	..	2	..	16	17.3	6
Palnit	35	15	22.3	2	2	..	17	25.3	4
Palayamkottai	35	15	22.3	2	2	..	17	25.3	4
Periyakulam	35	15	22.3	2	2	..	17	25.3	4

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 15th November, 1958—*contd.*

Town	Mid-year Popn.-Est. (000)	Deaths from —										Total	D.R.*	I.D.
		B.	R.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
Madras—Contd.														
Pollachi	60	51	44.2	1	..	2	..	18	15.6	5	
Pudukottai	54	49	47.2	1	..	10	9.6	4	
Rajapalyam	74	36	25.3	1	2	..	12	8.4	5	
Salem	279	169	31.5	5	6	13	1	61	11.4	9	
Sriengam	46	13	14.7	1	7	7.9	1	
Srivilliputtur	45	46	53.2	1	3	1	..	17	19.6	6	
Tanjore	133	101	39.5	1	1	2	..	34	13.3	6	
Tiruehorepalli	276	155	29.2	3	3	4	..	50	9.4	7	
Tirunalveli	84	52	32.2	1	..	2	..	21	13.0	5	
Tiruppur	73	109	77.6	1	2	..	13	9.3	6	
Tiruvannamalai†														
Tuticorin	121	70	30.1	1	8	9	..	41	17.6	21	
Vaniyambadi	45	26	30.0	2	2.3	1	
Vellore	141	113	41.7	..	1	..	3	2	16	1	66	24.3	19	
Villapuram	42	45	55.7	1	3	..	8	9.9	1	
Virudhunagar	57	30	27.4	1	1	1	..	21	19.2	2	
TOTAL	5,504	3,795	35.9	1	16	..	127	189	334	8	1,582	14.9	430	
Mysore														
Bangalore	1,246	599	24.9	8	34	34	..	216	9.1	9	
Mysore	347	232	35.0	19	5	3	..	60	9.7	2	
Kolar Gold Fields	180	86	24.8	1	2	4	..	31	8.9	2	
Bellary	83	23	14.4	4	3	3	..	31	18.2	3	
Davagere	85	17	10.4	5	16	9.7	1	
Shimoga†														
Bhadravati†														
Hospet	51	21	21.4	1	3	3.5	..	
Tumkur†														
Kolar†														
Chitaldrug	37	1	1.4	4	5.6	..	
Hassan†														
Bidar†														
Gulbarga†														
Raichur†														
Bijapur†														
Belgaum	110	71	33.5	1	1	1	..	18	8.5	..	
Dharwar†														
Bagalkot†														
Malagore†														
Gadag Betegere	73	44	31.3	7	..	5	..	27	19.2	..	
Hubli†														
TOTAL	2,212	1,094	25.7	45	46	50	..	406	9.5	17	
Orissa														
Berhampur	81	75	48.1	8	7	..	1	40	25.7	11	
Cuttack	129	152	61.3	9	5	6	..	40	16.1	4	
Puri	56	72	66.9	16	9	2	..	49	45.5	8	
TOTAL	266	299	58.5	33	21	8	1	129	25.2	23	
Pondicherry														
	68	84	64.2	2	2	3	2	15	11.5	9	
Punjab														
Ambala	62	75	63.1	7	2	4	..	21	17.7	7	
Amritsar	359	285	41.4	1	6	16	2	91	13.2	23	
Batala	66	33	26.1	1	..	6	4.7	3	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.=Birth ; B.R.=Birth Rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fever ; D.D.=Dysentery and Diarrhoea ; R.D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate ; I.D.=Infantile Deaths (included in total deaths) ; ..=Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 15th November, 1958—*contd.*

Towns	Mid-year Popn. Est. (000)	Deaths from :—											D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total			
Punjab—contd.														
Bhiwani	59	65	57.4	9	1	1	..	15	13.3	3	
Ferozepur	47	33	36.6	1	..	4	..	13	14.4	4	
Hissar	41	33	42.0	3	..	3	..	13	16.5	5	
Hoshiarpur	54	31	29.9	1	5	4.8	1	
Jullundur	230	123	27.9	15	3	7	..	35	7.9	14	
Karnal	83	40	25.1	3	..	1	..	7	4.4	2	
Ludhiana	194	190	51.1	1	..	8	..	37	9.9	8	
Moga	45	25	29.0	4	7	8.1	1	
Panipat	72	34	24.6	9	1	2	..	18	13.0	3	
Pathankot	36	27	39.1	2	1	..	6	8.7	3	
Rewari	40	36	46.9	4	1	2	..	9	11.7	1	
Rohtak	96	71	38.6	7	2	3	..	22	12.0	6	
Simla	53	31	30.5	8	7.9	3	
Sonepat	36	38	55.1	5	..	1	..	9	13.0	6	
Bhatinda	45	21	24.3	
Malerkotla	35	48	71.5	6	..	1	..	7	10.4	..	
Patiala	125	95	39.6	10	..	2	..	28	11.7	10	
TOTAL	1,778	1,334	39.0	85	19	57	2	357	10.4	103	
Rajasthan														
Ajmer	244	67	14.3	10	2	6	..	42	9.0	7	
Alwar	61	1	0.9	1	..	1	0.9	..	
Beawar†														
Bharatpur†														
Bikaner	117	50	22.0	4	3	3	1	25	11.0	5	
Churu	52	
Ganganagar	65	6	4.8	3	..	1	..	8	6.2	2	
Jaipur	419	84	10.9	44	5	6	1	79	9.8	19	
Jodhpur†														
Kotah	83	11	6.8	12	1	..	1	17	10.6	..	
Sikar†														
Tonk†														
Udaipur	121	7	3.0	1	0.4	..	
TOTAL	1,162	226	10.1	73	11	17	3	173	7.7	33	
Uttar Pradesh														
Agra	404	462	59.6	4	30	..	94	12.1	29	
Allahabad	372	193	27.0	4	19	..	60	8.4	9	
Amroha	61	47	40.2	2	3	9	..	26	22.2	7	
Bahraich	49	30	31.9	2	1	3	3.2	..	
Banras	416	365	45.7	38	13	8	..	177	22.2	37	
Banda†														
Bareilly	206	65	16.4	3	3	9	..	20	5.1	2	
Basti†														
Ballia†														
Bijnor†														
Budaun	55	40	37.9	6	1	4	..	20	19.0	7	
Bulandshahr	45	16	18.5	6	6	6.9	..	
Chandausi	44	23	27.2	2	2	1	..	23	27.2	5	
Dehra Dun	186	16	4.5	2	..	1	..	21	5.9	3	
Etawah†														
Faizabad-Ayodhya	94	37	20.5	4	..	1	..	8	4.4	1	
Farukhabad-Patchgarh	78	28	18.7	8	1	14	9.3	6	
Firozabad	93	60	33.6	3	4	2.2	..	
Ghazipur	45	29	33.6	9	9	10.4	1	
Ghazilabad	68	27	20.7	1	..	1	..	3	2.3	..	
Gonda	35	12	17.9	1	3	4.5	1	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B. = Births ; B.R. = Birth Rate ; C. = Cholera ; S. = Smallpox ; P. = Plague ; F. = Fevers ; D.D. = Dysentery and Diarrhoea ; R.D. = Respiratory Diseases ; M.D. = Maternal Deaths ; D.R. = Death Rate ; I.D. = Infantile Deaths (included in total deaths) ; .. = Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 15th November, 1958—*contd.*

Towns	Mid year. Popn. Est. (000)	B.	B.R.*	Deaths from:—									Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.					
Uttar Pradesh—Contd.															
Gorakhpur	150	60	20.8	6	3	5	..	25	8.7	4		
Hapur†															
Haridwar	73	44	31.4	9	2	5	..	21	15.0	8		
Hathras	65	48	38.5	19	5	7	3	41	32.8	..		
Jaunpur	59	20	17.7	4	..	3	..	12	10.6	1		
Jhansi	132	85	33.6	8	1	18	7.1	4		
Kanpur	810	337	21.7	111	28	45	9	315	20.3	70		
Kasganj†															
Khurja†															
Koil-Allgrah	167	41	12.8	4	2	6	..	21	6.5	1		
Lucknow	525	338	33.6	17	3	7	..	98	9.7	22		
Mithura	118	101	44.6	19	2	7	2	45	19.9	10		
Mau-Nath Bhanjan	39	27	36.1	7	9.3	3		
Meerut	198	111	29.2	7	3	7	..	23	6.0	8		
Mirzapur-Vindhyachal	100	54	28.1	6	2	2	..	19	9.9	4		
Moradabad	165	149	47.1	9	7	11	..	56	17.7	14		
Muzaffarnager	81	55	35.4	4	1	2	..	14	9.0	3		
Pilibhit	47	24	26.6	8	1	3	..	18	20.0	3		
Rampur†															
Sheranpur	178	107	31.3	34	2	5	..	53	15.5	10		
Sambhal†															
Sitapur	52	14	14.0	3	1	6	6.0	2		
Shahjahanpur	112	56	26.1	17	2	6	..	30	14.0	7		
TOTAL	5,312	3,121	30.6	371	97	204	15	1,313	12.9	282		

West Bengal

"N.R.

ARREAR INFORMATION**Bombay**

w/e 11-10-58

Ahmedabad	970	863	46.3	26	12	80	..	401	21.5	178	
Ahmednagar	108	115	55.4	2	5	1	3	..	35	16.9	7	
Amalner	54	35	33.7	9	17	14.5	2	
Baroda	266	227	44.4	31	5	12	..	90	17.6	23	
Barsi	48	56	60.7	4	1	14	15.2	4	
Bhusawal	73	32	22.8	1	3	2	13	9.2	2	
Broach	68	77	58.9	7	..	7	..	28	21.4	4	
Cambay	42	51	63.1	1	2	..	13	13.3	4	
Chalisgaon	38	23	31.5	9	1	2	..	16	21.9	2	
Dhulia	101	86	44.3	4	1	2	1	12	6.2	6	
Godhra	41	21	26.6	7	5	2	..	22	27.9	5	
Greater Bombay	4117	2159	27.3	5	45	140	2	801	10.1	241	
Jalgaon	88	75	44.3	4	1	3	..	15	8.9	..	
Kalyan	93	62	35.0	1	7	3.9	4	
Kolhapur	181	144	41.4	3	1	6	..	50	14.4	14	
Malegaon	74	53	37.2	20	1	3	..	26	25.0	3	
Miraj	47	48	53.1	13	14.4	..	
Nadiad	78	77	51.3	9	..	1	..	24	16.0	..	
Nandurbar	38	29	39.6	3	1	18	24.6	4	
Nasik	151	91	31.3	8	..	6	..	24	8.3	..	
Nasari	52	58	58.0	7	..	2	1	16	16.0	2	
Pandharpur	47	41	45.4	6	7	8	..	29	32.1	11	
Patna	49	60	63.7	2	..	3	..	12	12.7	3	
Poona	717	422	30.6	9	16	..	127	9.2	38	
Sangli	66	28	22.1	1	3	16	12.6	4	
Satara	43	24	29.0	3	..	3	..	15	17.9	3	
Sholapur	325	311	49.8	22	16	65	1	193	30.9	34	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.= Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths); ..=Nil Information. "N.R." Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 15th November, 1958—*contd.*

Deaths from :—

Town	Mid.-year Popn. Est. (000)	B.	B.R.*	C.	S.	w/s P.	II-10-58 F.	J.D.	R.D.	M.D.	Total	D.R.*	I.D.
Bombay—contd.		<i>w/s II-10-58</i>											
Surat	270	342	65.9	16	5	20	1	125	24.1	30
Thana†													
Bhavnagar	171	86	26.2	15	3	10	..	54	16.4	18
Dhoraji	49	32	34.0	3	..	1	..	7	7.4	1
Jamnagar †													
Junagarh	66	50	39.4	10	1	2	1	31	24.4	7
Morvi	44	31	36.7	1	2	2.4	..
Porbander	68	25	19.1	4	5	6	..	22	16.8	2
Gondal	43	28	33.9	4	1	5	..	12	14.5	..
Rajkot	217	56	13.4	25	4	4	..	47	11.3	21
Veraval	50	17	17.7	3	9	9.4	2
Surendranagar	52	23	23.0	5	8	8.0	..
Nagpur	602	551	47.6	42	40	34	9	405	35.0	125
Achalpur	39	30	40.0	7	4	16	21.3	1
Akola	110	50	23.6	9	8	5	..	39	18.4	8
Chanda	45	53	61.2	6	2	3	..	19	22.0	5
Gondia	56	35	32.5	3	3	2.8	..
Hinganghat	37	31	43.6	6	1	12	16.9	4
Khamgaon	47	50	55.3	5	8	8.4	2
Wardha	51	33	33.6	2	..	1	..	10	10.2	3
Yeotmal	45	44	50.8	7	2	5	..	31	35.8	8
Kamptee	40	52	67.6	3	4	2	..	12	15.6	4
Amravati	111	127	15.3	10	2	1	1	21	9.8	3
Aurangabad	81	23	14.8	2	4	2.6	1
Lathur	46	24	27.1	3	..	5	5.7	..
Nanded	98	32	17.0	3	3	11	5.8	2
Parbhani	46	3	3.4	2	..	2	2.3	..
Jalna	80	2	1.3	4	1	..	1	..	7	4.6	..
TOTAL	10,539	7,098	35.0	7	391	197	471	18	2,969	14.6	852
Andhra Pradesh		<i>w/s II-10-58</i>											
Adoni†													
Anantapur	42	33	40.9	1	3	..	11	13.3	4
Anakapalli	51	29	29.6	3	5	2	3	23	23.4	6
Bhimavaram	41	42	53.3	1	2	4	1	..	14	17.8	1
Chirala	48	15	16.2	6	3	1	..	17	18.4	3
Chittoor†													
Cuddapah†													
Ellore	108	43	20.7	6	..	1	..	18	8.7	4
Gudivada	40	26	29.4	2	7	7.9	1
Guntur†													
Guntakal	43	23	27.8	1	1	1	..	8	9.7	..
Kakinada†													
Kurnool	74	73	51.3	11	..	1	..	20	14.1	7
Masulipatnam	95	28	15.3	4	..	2	..	20	10.9	4
Nandyal	40	32	41.6	1	2	12	15.6	1
Nellore	107	85	41.3	3	1	1	1	37	18.0	12
Proddutur†													
Rajahmundry	137	67	25.5	3	1	3	1	32	12.2	5
Tenali	76	55	37.6	2	..	3	..	16	10.9	4
Vijayawada	253	172	35.4	17	4	10	2	79	16.3	22
Visakhapatnam	148	123	43.2	19	22	27	..	108	37.9	12
Vizianagaram	81	51	32.7	3	4	3	..	35	22.4	8
Hyderabad	1,291	289	11.6	23	12	15	..	125	5.0	5
Warrangal†													
Nizamabad †													
Kothagudiam	80	10	6.5	5	3.3	..
Secunderabad	192	167	45.3	5	5	10	..	61	16.5	15
TOTAL	2,947	1,363	24.1	111	65	84	7	648	11.4	114

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; R.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 15th November, 1958—concl'd.

	Mid-year Popn. Est. (000)	B.	B.R.*	Deaths from							Total *D.R.	I.D.	
				C.	S.	P.	F.	D.D.	R.D.	M.D.			
Andhra Pradesh—Contd.													
W/e 18-10-58													
Adoni	72	41	29.6	4	..	5	3.6	1
Anantapur	42	30	37.3	1	..	3	3.7	1
Anakapalli†													
Bhimavaram	41	45	58.3	3	3	2	2	..	14	17.8	..
Chirala	48	50	54.2	4	2	1	..	27	29.4	4
Chittoor†													
Cuddapah	46	31	35.1	1	..	12	12.4	1
Ellore	108	43	20.7	6	..	3	..	29	13.9	7
Gudivada	40	29	37.7	5	..	2	1	15	19.5	4
Guntur	168	200	62.0	5	8	4	..	81	25.1	17
Guntakal	43	22	26.6	1	..	1	..	6	17.3	1
Kakinada	123	41	17.3	5	3	4	..	38	16.1	14
Kurnool	74	137	66.3	12	5	79	55.5	5
Masulipatnam	95	153	83.7	5	2	40	21.9	9
Nandyal †													
Nellore	107	109	53.0	7	4	2	..	56	27.2	3
Proddutur	46	30	33.9	1	..	1	..	13	14.7	1
Rajahmundry	137	104	39.5	3	1	4	..	24	9.1	3
Tenali	76	74	50.6	2	1	3	1	21	14.4	8
Vijayawada	253	130	26.8	14	4	2	1	71	14.6	21
Visakhapatnam	148	117	41.1	16	11	25	..	77	27.0	14
Vizianagaram	81	46	29.5	3	3	2	..	34	21.8	9
Hyderabad	1,291	233	9.3	3	29	15	14	..	137	5.5	12
Warrangal†													
Nizamabad†													
Kothagudiam†													
Secunderabad	192	161	43.6	3	2	9	..	50	13.6	14
TOTAL	3,231	1,827	29.4	3	124	63	85	3	831	13.4	149
Orissa													
w/e 8-11-58													
Berhampur	81	109	52.0	20	13	5	1	62	39.8	10
Cuttack	129	136	54.8	..	3	..	6	5	7	..	51	20.6	8
Puri	56	69	64.0	11	7	4	..	39	7.6	4
TOTAL	266	314	61.2	..	3	..	37	25	16	1	152	28.6	22
Pondicherry													
w/e 8-11-58													
Pondicherry,	68	104	79.5	3	2	5	1	17	13.0	7
Supplementary Figures													
w/e 8-11-58													
Punjab													
Ferozepur	47	42	46.6	3	3.3	..
Hissar	41	45	57.3	5	4	9	..	20	25.4	8
Jullundur	230	186	42.2	13	5	6	..	38	8.6	11
Bhiwani	59	98	86.6	7	2	3	..	18	15.9	9
Supplementary figures													
w/e 8-11-1958													
Rajasthan													
Ajmer	244	119	25.4	13	2	12	..	40	8.5	11
Alwar	61	53	45.2	2	..	5	..	11	8.8	1
Beawar	65	23	18.4	7	1	3	..	1	0.8	5
Bikaner	117	60	26.1	6	6	3	1	38	16.7	2
Churu	52	3	3.0	1	5	5.0	..
Ganganagar	65	11	8.8	..	1	..	2	..	3	..	11	8.8	1
Jaipur	419	137	17.0	49	11	8	..	108	13.5	36
Kotah	83	8	5.0	6	..	2	1	9	5.6	..

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :— B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infant Deaths (included in total deaths) ; ..—Nil information.

REMARKS

The figures of births and deaths shown in this statement for week ending 15th November, 1958 relate to 131 towns from the States of Bihar, Delhi, Madras, Mysore, Orissa, Pondichery, Punjab, Rajasthan and Uttar Pradesh with a population coverage of 19,759 thousand out of the total population of 46,461 thousand in 320 towns of the country. The number of births and deaths recorded in these towns were 11,462 and 4,329

registering birth and death rates of 30.2 and 11.4 per thousand of population respectively.

The town of Puri in Orissa State and Hathras in the State of Uttar Pradesh recorded high death rates of 45.5 and 32.8 per thousand of population respectively. The following table gives the registered rates for the different States :—

States	Current w/c 15-11-58		Corresponding w/c last year	
	B.R.	D.R.	B.R.	D.R.
Bihar	14.7	6.0	20.1	5.8
Delhi	29.4	4.7	40.8	6.6
Madras	35.9	14.9	41.2	17.4
Mysore	25.7	9.5	26.7	9.0
Orissa	58.5	25.2	63.2	26.5
Pondicherry	64.2	11.5	69.3	21.1
Punjab	39.0	10.4	46.0	10.7
Rajasthan	10.1	7.7	21.0	8.9
Uttar Pradesh	30.6	12.9	38.2	14.1
India	30.2	11.4	37.0	12.6

NEW DELHI-2 (INDIA) ; }
The 8th December, 1958. }

H. R. SHARMA,
for Registrar General, India.